

BENEFITS OF THE CLEAN DEVELOPMENT MECHANISM 2011



United Nations
Framework Convention on
Climate Change

CLEAN DEVELOPMENT MECHANISM

**BENEFITS OF THE CLEAN
DEVELOPMENT MECHANISM**
2011

United Nations
Framework Convention on
Climate Change

TABLE OF CONTENTS

EXECUTIVE SUMMARY	5
I. INTRODUCTION	7
II. CONTRIBUTION TO SUSTAINABLE DEVELOPMENT	9
2.1. Definition of sustainable development	9
2.2. Assessing sustainable development	9
2.3. Indicators of sustainable development	11
2.4. How clean development mechanism projects contribute to sustainable development	11
2.5. Sustainable development contributions by UNFCCC project category and UNEP project type	12
2.6. Sustainable development contributions by host country	14
2.7. Trends in sustainable development contributions	15
2.8. Comparison of claims in product design documents and survey responses	16
2.9. Other studies on sustainable development and the clean development mechanism	17
III. TECHNOLOGY TRANSFER VIA CLEAN DEVELOPMENT MECHANISM PROJECTS	21
3.1. Definition of technology transfer	21
3.2. Technology transfer claims of clean development mechanism projects	22
3.3. Technology transfer by project type	22
3.4. Technology transfer by host country	24
3.5. Trend in technology transfer	25
3.6. Comparison of claims in project design documents and survey responses	26
3.7. Other studies on technology transfer and the clean development mechanism	27
IV. INVESTMENTS IN AND COSTS OF CLEAN DEVELOPMENT MECHANISM PROJECTS	29
4.1. Investment triggered by clean development mechanism projects	29
4.2. Cost of emission reductions	31
4.3. Other studies on costs of the clean development mechanism	35
V. OPPORTUNITIES FOR IMPROVEMENT	37
VI. REFERENCES	39
VII. ANNEXES/TABLES	41
ACKNOWLEDGEMENTS	47



EXECUTIVE SUMMARY

As the Kyoto Protocol's five-year first commitment period (2008–2012) draws to a close, it is time to assess the overall use and effectiveness of the clean development mechanism (CDM). This is the first in a series of reports, which provides an overview of the contribution of CDM project activities to sustainable development, technology transfer and investment.

The CDM was designed to meet a dual objective: to help developed countries meet a part of their emission reduction targets under the Kyoto Protocol and to assist developing countries in achieving sustainable development. While CDM projects provide tradable saleable certified emission reduction (CER) credits for participants in these projects, they can also provide benefits such as new investment in developing countries, transfer of climate-friendly technologies, the improvement of livelihoods and skills, job creation and increased economic activity.

This study analyzes the claims made by project participants in the project design documents (PDDs) of 3,276 CDM projects that were registered by the CDM Executive Board on or before 31 July 2011. It focuses specifically on three issues: sustainable development benefits associated with CDM projects, technology transfer prompted by CDM projects, and investment flows generated by CDM projects. The results have been compared with other studies to identify common trends and issues.

CONTRIBUTION TO SUSTAINABLE DEVELOPMENT

Several attempts have been made to understand how a CDM project contributes to sustainable development or to assess how much a CDM project contributes to sustainable development. Most studies conclude that hydrofluorocarbon (HFC) and nitrous oxide N₂O related projects yield the fewest sustainable development benefits, but the studies differ in their assessment of other project types. Other studies suggest a trade-off between the goals of the CDM in favour of producing low-cost emission reductions at the expense of achieving sustainable development benefits.

This study shows that most CDM projects claim several sustainable development benefits such as employment creation, the reduction of noise and pollution, and the protection of the natural resources. The type of benefit claimed has not changed significantly over time, but the mix of benefits claimed is somewhat different by host country and project type. There is also evidence to suggest that CDM projects are indeed making a contribution to sustainable development over and above the mitigation of greenhouse gas (GHG) emissions in the host country.

CONTRIBUTION TO TECHNOLOGY TRANSFER

The need for technology transfer has been shown, in this and other studies, to fall over time as local sources of knowledge and equipment become more available and expertise on available technologies grows. This reflects a contribution made by the CDM to a developing country and the increasing maturity in the countries use of the CDM as the need for the further inflow of technology is reduced. However, the vast majority of developing countries involved in the CDM currently remain at the stage at which substantial levels of technology transfer still need to be, and are being, received.

The technological capacity of a country tends to be higher if a country has a larger population, more official development assistance (ODA) per capita, a higher ranking for the ease of doing business and a higher score on the democracy index. For those host countries technology transfer via the CDM is less likely to occur. However, technology transfer via the CDM typically responds quickly (in a year or two) to changes to these country characteristics.

CONTRIBUTION TO FINANCIAL FLOWS

Annual investment in registered CDM projects rose from USD 40 million in 2004 to USD 47 billion in 2010 and now totals over USD 140 billion to mid 2011. The average investment per project is approximately USD 45 million. Over 75 per cent of projects in the Asia-Pacific region, have a 15 per cent higher average investment than all other projects. In all other regions, the average investment is generally less than half of the global average.

The average abatement cost for all types of CDM projects with a renewable crediting period is USD 2/tonne of carbon dioxide equivalent (t CO₂ eq) and USD 10/t CO₂ eq for projects with a fixed crediting period, except solar projects, which tend to be much more expensive. Projects have a greater potential to be profitable the longer they operate, which indicates a healthy market condition

conducive to attracting more projects into the CDM pipeline. The average cost, however, varies considerably by project type and even more so by crediting period. The fact that some market participants choose a shorter crediting period, which may also result in lower expected returns as compared to a longer crediting period, indicates that the motivation for implementation of these projects may also be due to other reasons such as to assist research in renewable technologies that potentially have a lower abatement cost in the long run.

It is also apparent from other studies that investors focus on projects with low abatement cost so the CDM market is operating efficiently. Other studies also suggest that there is significant untapped potential for CDM projects in many countries that already make use of the CDM and its benefits.

I. INTRODUCTION

As set out in Article 12, paragraph 2, of the Kyoto Protocol, the purpose of the CDM is to assist developing countries in achieving sustainable development and in contributing to the ultimate objective of the Convention (i.e. to achieve a stabilization of atmospheric GHG concentrations at a level that will prevent dangerous human induced climate system interference) and to assist developed countries in complying with their emission limitation and reduction commitments.

Climate change mitigation projects in developing countries can yield numerous benefits, such as the transfer of technology, rural energy provision, reduction of pollutants, contributions to livelihood improvement, employment creation and increased economic activity. This study presents evidence relating to the benefits of the CDM to developing countries. Specifically the CDM's contribution to sustainable development and to technology transfer is examined as well as emerging patterns in project investment and costs.

The evidence comes from five sources:

- Data captured from the project design documents (PDDs) of CDM projects and programmes of activities¹ (PoAs) registered and ruled² as such by 31 July 2011 (3,266 projects and 10 PoAs)³;
- Responses to an ongoing survey⁴ of project participants concerning the sustainable development and technology transfer impacts of their projects and PoAs (409 responses⁵);
- Published research on and analyses of the CDM and its impacts;
- The United Nations Environment Programme (UNEP) Risø Centre CDM Pipeline⁶. These data were used to classify projects by UNEP type and subtype;
- The Institute for Global Environmental Strategies (IGES) CDM Project Database⁷. These data were used for establishing the start of the CDM projects.

This study is structured as follows. [Section 2](#) summarizes the claimed contributions of CDM projects⁸ to sustainable development in their host countries. [Section 3](#) highlights the transfer of technology via CDM projects. [Section 4](#) sets out estimates of the investment triggered by CDM projects and abatement costs for various types of CDM projects. Finally, [section 5](#) discusses opportunities for improvement and further work.

¹ UNFCCC, 2009, p. 23

² Projects for which the registration date and the decision to register by the CDM Executive Board was on or before 31 July 2011. A project can be registered after 31 July with a registration date before 31 July so long as it was submitted (as complete) to the secretariat before 31 July (see the Procedure for requests for registration of proposed CDM project activities, available at <<https://cdm.unfccc.int/Reference/Procedures/index.html>>).

³ These data represent approximately 95 per cent of all registered projects before 31 July 2010. Technology transfer data are available for 3,232 projects, sustainable development data for 2,250 projects, capital investment for 1,676 projects and operating expenditures for 1,148 projects. All other data are based on the 3,276 projects.

⁴ <<https://www.research.net/s/unfccc>>

⁵ As at 1 September 2011.

⁶ The UNEP Risø Centre CDM Pipeline provides monthly updated data for most CDM projects. Available at: <<http://www.cdmpipeline.org/>>.

⁷ The IGES Market Mechanism Group provides monthly updated data for most CDM projects. Available at: <<http://www.iges.or.jp/en/cdm/index.html>>.

⁸ Unless otherwise stated, for ease of exposition "projects" should be interpreted to include "PoAs".



II. CONTRIBUTION TO SUSTAINABLE DEVELOPMENT

2.1. DEFINITION OF SUSTAINABLE DEVELOPMENT

The Brundtland Report, *Our Common Future*, defined sustainable development as “development that meets the needs of the present without compromising the ability of future generations to meet their own needs”.⁹ It spawned an extensive body of literature on the concept of sustainable development as well as numerous attempts to measure whether specific actions contribute to sustainable development.

Despite these efforts, there is still no universally accepted definition of sustainable development or an agreed basis for determining whether a specific action, such as a proposed CDM project, would contribute to sustainable development. However, it is widely agreed that sustainable development comprises of three mutually reinforcing dimensions, namely economic development, social development, and environmental protection.¹⁰

Owing in part to the absence of an accepted international definition of sustainable development, the responsibility for determining whether a CDM project contributes to national sustainable development as defined by the host country currently resides with its designated national authority (DNA). The DNA therefore states in its letter of approval of the CDM project that, in its judgment, the proposed CDM project will contribute to the country’s sustainable development.¹¹ A designated operational entity (DOE) must ensure confirmation by the DNA of the host country that the project activity assists in achieving sustainable development in the host country.¹²

2.2. ASSESSING SUSTAINABLE DEVELOPMENT

Assessing the contribution of the CDM in assisting host countries in achieving sustainable development is challenging for the same reason – the lack of an agreed operational definition. Two types of assessment of the contribution of the CDM to sustainable development are possible on a project-by-project basis:

- **How** a CDM project contributes to sustainable development; and
- **How much** a CDM project contributes to sustainable development.¹³

To determine how a CDM project contributes to sustainable development requires only a list of sustainable development indicators against which a project is assessed to show the nature of its contribution.¹⁴

How much a CDM project contributes to sustainable development requires a list of indicators, a quantitative or qualitative measure for each indicator that can be used to score the project, and weights that allow the scores for the different indicators to be aggregated into an overall measure of the extent of the contribution to sustainable development. Only two studies – by Sutter and Parreño (2007) and Alexeew et al. (2010) – attempt such an assessment. They are summarized in [section 2.9](#) below.

⁹ World Commission on Environment and Development, 1987, p. 8.

¹⁰ Adams, 2006; Olsen, 2007; and Alexeew, et al., 2010.

¹¹ Olsen and Fenhann, 2008, table 1, p. 2821, summarizes the approaches used by seven countries. Sterk et al., 2009, summarizes the sustainable development requirements of 15 DNAs using the Gold Standard as a basis.

¹² Decision 3/CMP.6, paragraph 40

¹³ Olsen and Fenhann, 2008, p. 2820.

¹⁴ Olsen and Fenhann, 2008, uses this approach.

Table II-1. Sustainable development dimensions and indicators for clean development mechanism projects

Dimension	Indicator	Description
Economic	Direct/indirect financial benefit for the local and/or regional economy	Economic improvements for the population through: domestic or community cost savings; poverty reduction and support for entrepreneurial activity in the local economy; financial benefits of the project for the national economy of the host country; enhancement of the local investment and tourism; improvement of trade balance for the country; reinvestment of clean development mechanism proceeds into the community; creation of tax revenue for the community
	Local/regional jobs generated directly/indirectly	Economic improvements through direct or indirect job creation or retention of jobs, during the operation and construction phases. Poverty alleviation is often cited as an indirect benefit of this
	Development/diffusion of local/imported technology	Development, use, improvement and/or diffusion of a new local or international technology, international technology transfer or an in-house innovative technology development has taken place serving as an example for others to emulate
	Investment in the local/regional infrastructure	Creation of infrastructure (e.g. roads and bridges) and improved service availability (e.g. health centers and water availability)
Environment	Efficient utilization of natural resources	Promoting comprehensive utilization of the local natural resources (i.e. avoiding biomass decay and utilizing biomass for energy, utilizing water and solar resources); promoting efficiency (e.g. compact fluorescent lamps rather than incandescent lamps); recycling; creating positive by-products
	Reduction in noise, odours, dust or pollutants	Reducing: gaseous emissions other than greenhouse gases; effluents; and odour and noise pollution; and enhancing indoor air quality
	Improvement and/or protection of natural resources	Improvement and/or protection of natural resources, including, inter alia, the security of non-renewable resources such as fossil fuels, or of renewable resources such as: soil and soil fertility; biodiversity (e.g. genetic diversity, species, alteration or preservation of habitats existing within the project's impact boundaries and depletion level of renewable stocks like water, forests and fisheries); water, availability of water and water quality
	Available utilities	Supplying more or making less use of energy; stabilizing energy for the promotion of local enterprises; diversifying the sources of electricity generation
	Promotion of renewable energy	Converting or adding to the country's energy capacity that is generated from renewable sources; reducing the dependence on fossil fuels; helping to stimulate the growth of the renewable power industries
Social	Labour conditions and/or human rights	Project will improve working and/or living conditions
	Promotion of education	Improved accessibility of educational resources (reducing time and energy spent by children in collecting firewood for cooking, having access to electricity to study during the night, and supplementing other educational opportunities); donating resources for local education
	Health and safety	Improvements to health, safety and welfare of local people through a reduction in exposure to factors impacting health and safety, and/or changes that improve their lifestyles, especially for the poorest and most vulnerable members of society
	Poverty alleviation	Emphasis on the respective country's core development priorities (i.e. poverty alleviation)
	Engagement of local population	Community or local/regional involvement in decision-making; respect and consideration of the rights of local/indigenous people; promotion of social harmony; education and awareness of local environmental issues; professional training of unskilled workers; reduction of urban migration
	Empowerment of women, care of children and frail	Provision of and improvements in access to education and training for youth and women; enhancement of the position of women and children in society

2.3. INDICATORS OF SUSTAINABLE DEVELOPMENT

A list of sustainable development indicators is a requirement for both types of assessment. As yet there is no agreed list of indicators suitable for CDM projects. In this study a set of 15 indicators was empirically derived from a representative sample of 350 CDM projects. These indicators, presented in [table II-1](#), cover the economic development, environmental protection and social development dimensions of sustainable development. They encompass most of the criteria used by other studies.¹⁵ The descriptions attempt to clearly distinguish the different indicators so that claimed benefits can be assessed consistently.

The sustainable development claims in the PDDs of 2,250 of the projects registered as at 31 July 2011 were tabulated using the indicators in [table II-1](#).¹⁶ Up to four indicators were assigned to each project. This was sufficient to cover all of the sustainable development claims for most, but not all, projects.¹⁷ Thus, a small number of indicators¹⁸ are not captured for projects to which more than four could apply.

Assessing the statements from various sections of the PDDs¹⁹ involves some subjectivity. Different analysts and assessment procedures may assign different indicators to a given project.²⁰ This is confirmed by the survey responses of multiple participants for the same project: for some projects the sustainable development indicators assigned differ slightly. With a large number of projects it is expected that there is no systematic bias due to such potential assessment differences.

Many projects claim reduction of GHG emissions as a contribution to sustainable development. A reduction in GHG emissions is excluded from the sustainable development indicators since this is a prerequisite for a CDM project.

The indicators in [table II-1](#) were also used in the survey of project participants in which respondents were asked which of the indicators – up to four – apply to their project.

2.4. HOW CLEAN DEVELOPMENT MECHANISM PROJECTS CONTRIBUTE TO SUSTAINABLE DEVELOPMENT

The indicators for the 2,250 projects are used to describe how CDM projects claim to contribute to sustainable development.²¹ The indicators are based on information in the PDDs, which reflects the expected contributions at the time the project is being validated. The actual contributions may differ, an issue that is explored in [section 2.8](#) below.

[Figure II-1](#) shows the number of projects that mentioned each of the 15 indicators. The sustainable development benefits claimed most frequently are employment creation (23 per cent of the projects) and reduction in noise, odours, dust or pollution (17 per cent of projects). Although the percentages are very different, Olsen and Fenhann found a similar pattern: employment generation was the most likely impact, followed by contribution to economic growth and improved air quality.²²

As shown in [figure II-1](#), claims of environmental (51 per cent of projects) and economic (43 per cent of projects) benefits far exceed those of social benefits (6 per cent of projects). In contrast, Olsen and Fenhann found the distribution of claimed benefits among the three dimensions to be fairly even, with the most claimed benefits in the social dimension, followed by the economic and environmental dimensions.²³

¹⁵ Input from Luz Fernandez; Charlotte Unger; Alexeew, et al., 2010; Huq, 2002; Nussbaumer, 2009; Olsen and Fenhann, 2007; Sutter and Parreño 2007; and Sterk et al., 2009.

¹⁶ Constraints dictated that only 2,250 of the projects could be coded. The 2,250 projects provide good coverage of all host countries and project types. No verification of the claims made in the PDDs was undertaken.

¹⁷ 50 per cent of the projects have four indicators, 30 per cent have three indicators, 15 per cent have two indicators, 5 per cent have one indicator

¹⁸ Less than 10 per cent

¹⁹ Most information on sustainable development contributions is found in section A.2. Description of the project activity, where the view of the project participants on the contribution of the project activity to sustainable development is requested (maximum one page).


²⁰ Olsen and Fenhann, 2008, p. 2823.

²¹ So that the contribution of each project has the same weight, the indicators for each project have a total weight of 4 – if there are four indicators they each have a weight of 1, if there are three indicators they each have a weight of 1.333, if there are two indicators each has a weight of 2 and a single code is given a weight of 4.

²² Olsen and Fenhann, 2008, p. 2825, based on analysis of 296 projects in the pipeline as at 3 May 2006.

²³ Olsen and Fenhann, 2008, p. 2825. In some cases the distribution of claimed benefits among the three dimensions is not directly comparable. For instance, Olsen and Fenhann categorized employment as a social benefit, whereas in this study it is categorized as an economic benefit.

Figure II-1. Number of sustainable development claims by indicator




2.5. SUSTAINABLE DEVELOPMENT CONTRIBUTIONS BY UNFCCC PROJECT CATEGORY AND UNEP PROJECT TYPE

The sustainable development claims by UNFCCC project category are shown in figures II-2. The project categories and their definitions are presented in table VII-8 in the annex to this document. In every project category one or more projects claim at least nine of the 15 sustainable development indicators; waste energy projects mention the fewest (nine), while industrial gas projects mention the most (14). Projects in each category mention so many indicators; it is not surprising that there is no category of projects that has one or only a few indicators. With one exception, no indicator is mentioned by more than 25 per cent of the projects in a category. The exception is “improvement and/or protection of natural resources” which is mentioned by 36 per cent of the afforestation and reforestation projects. The largest social contributions are claimed by industrial gas projects, mainly through the engagement of the local population and promotion of education.

The sustainable development claims by UNEP project type are shown in figure II-3 and their definitions are presented in table VII-9 in the annex to this document. Projects of each project type claim between three and 13 of the 15 sustainable development indicators, with an average of almost nine. Carbon dioxide (CO₂) usage projects claim the fewest categories of benefits (three), while energy efficiency supply-side projects mention the most (13). For project types that mention only a few indicators, some are claimed by a large percentage of the projects: efficient utilization of natural resources by 50 per cent of the CO₂ usage projects and both local/regional jobs generated directly/indirectly and improvement and/or protection of natural resources by 42 per cent of the afforestation projects.

Although the UNEP project types were revised in 2009, so the project types in figure II-3 are not identical to those used by Olsen and Fenhann. They found that HFC and N₂O projects claim the least sustainable development benefits, while energy distribution projects have the most, although this is only based on two projects.²⁴


Figure 11-2. Sustainable development claims by UNFCCC project category as a percentage of the total claims for each criterion



Furthermore a project could promise to provide benefits in one or two areas and do so really well, while another project could promise to provide many more benefits, but provide none of them properly. This analysis is limited to the PDD claims of how each project would benefit the host country only. To assess how well (or how much) a project contributes it would be necessary to score the project on each indicator. Such scores should probably not be based alone on the number or type of claims made in the PDDs.

²⁴ Olsen and Fenhann, 2008, figure 3, p. 2827.

Figure II-3. Sustainable development claims by UNEP project type as a percentage of the total claims for each criterion




2.6. SUSTAINABLE DEVELOPMENT CONTRIBUTIONS BY HOST COUNTRY

The distribution of sustainable development claims by host country is shown in figure II-4 for the ten countries with the most registered projects and for all other host countries combined. Since these are countries with a relatively large number of projects and also of a mix of project types, it is not surprising that the projects they host claim many sustainable development benefits. Projects in each of the host countries, except Thailand and Vietnam,

together cite 11 or 12 of the 15 sustainable development indicators. For Thailand and Vietnam the number is nine of 15. Many indicators are mentioned many times. With this diversity of claimed benefits, in only a few cases is an indicator mentioned for more than 25 per cent of the projects in a country²⁵: local/regional jobs generated directly/indirectly for 30 per cent of the projects in China and reduction in noise, odours, dust or pollutants for 27 per cent of the projects in Indonesia and 26 per cent of the projects in Malaysia. No indicator is prominent in the ten largest CDM project host countries.

Figure II-4. Sustainable development claims as a percentage of the total claims by host country



2.7. TRENDS IN SUSTAINABLE DEVELOPMENT CONTRIBUTIONS

Figure II-5 shows the distribution of sustainable development claims for projects by year of registration. The only apparent trends are an increase in the percentage of projects that claim “reduction in noise, odours, dust or pollutants” and a reduction in the claims of efficient utilization of natural resources. The percentage of projects that claim to reduce noise, odours, dust or pollutants rises from 12 per cent of the projects registered in 2005 to 21 per

cent of the projects registered during the first six months of 2011. The number of projects that claim efficient utilization of natural resources declines from 7 per cent of the projects registered in 2007 to 1 per cent of the projects registered during the first half of 2011. Reflecting the number and diversity of projects registered each year, the number of indicators mentioned varies between 11 and 14 per year after 2004.

²⁵ All claims are weighted such that total claims for a project equals four. Therefore 25 per cent of claims means the same as 25 per cent of projects.

Figure II-5. Sustainable development claims as a percentage of the total claims by year of registration



2.8. COMPARISON OF CLAIMS IN PRODUCT DESIGN DOCUMENTS AND SURVEY RESPONSES

The contributions to sustainable development are expectations at the time the project is being validated. The actual sustainable development contributions may therefore change over time. Project participants were asked to respond to the survey after the project had been registered, so the survey responses may better reflect each project's actual contributions to sustainable development. The survey attracted responses relating to the sustainable development contributions of 392 projects of which 336 overlapped with the projects for which data were recorded from PDDs.²⁶ The survey responses were compared with the indicators compiled from the PDDs.

Table II-2 shows the percentage of the survey response indicators that match the indicators obtained from the PDD for the same projects.²⁷ For 19 per cent of the projects none of the indicators from the PDD and the survey responses match, which means 80 per cent have at least one indicator in common. More over for 34 per cent of the projects, half the indicators from the two sources match each other and approximately 10 per cent of projects match for more than half of the indicators. The survey responses and the indicators from the PDD's are identical for two of the 336 projects.

The lack of perfect agreement may be due to differences in judgment or interpretation concerning the applicable indicator or changes to the project's stated sustainable development contributions. It was found that during the collection of data from the PDDs, that on many occasions statements were made that could have fallen into one or another indicator category.

Table II-2. Comparison of sustainable development indicators from project design documents and survey responses

Type of match between survey and project design documents (PDD) indicators	Percentage match	Number of projects	Percentage of projects
No match between survey and PDD indicators	0	65	19
1 in 4 matches between survey and PDD indicators	25	99	29
1 in 3 matches between survey and PDD indicators	33	28	8
1 in 2 or 2 in 4 matches between survey and PDD indicators	50	113	34
2 in 3 matches between survey and PDD indicators	67	12	4
3 in 4 matches between survey and PDD indicators	75	17	5
Perfect match between survey and PDD indicators	100	2	1
Total		336	100

The developer of a Gold Standard²⁸ project is required to submit a sustainability monitoring plan in addition to the sustainable development assessment in the PDD. The monitoring plan is used to verify if the CDM project has indeed contributed to sustainable development as anticipated in the PDD. This may cause the project developer to consider the impacts of the project carefully.²⁹ It may also create an incentive to keep the PDD analysis brief to minimize the monitoring requirements. The survey responses in table II-2 include responses in relation to 19 Gold Standard projects. The Gold Standard projects have approximately the same number of sustainable development indicators as regular CDM projects and the match between the survey and PDD indicators is the same as for regular CDM projects.³⁰

2.9. OTHER STUDIES ON SUSTAINABLE DEVELOPMENT AND THE CLEAN DEVELOPMENT MECHANISM

Since the Kyoto Protocol entered into force in early 2005, the CDM has been the subject of extensive commentary and research in the academic literature.

Olsen (2007) reviews 19 studies that focus on sustainable development aspects of the CDM available as at June 2005. None of the studies assessed registered CDM projects, although some analysed projects similar to CDM projects. Olsen concludes that, at the time, a consensus was emerging that the CDM produces low-cost emission reductions at the expense of achieving sustainable development benefits.

²⁶ Approximately 7 per cent of the projects (29) were assessed by up to four different respondents, who provided slightly different assessments of the contribution of the same project to sustainable development.

²⁷ For the 29 projects with multiple survey responses, an average response was calculated and used for the comparison.

²⁸ See <<http://www.cdmgoldstandard.org/>>

²⁹ Sterk et al., 2009, p. 16.

³⁰ The data for Gold Standard projects are not reported separately here.

Sutter and Parreño (2007) apply multi-attribute utility theory³¹ to assess the sustainable development contribution of the first 16 registered CDM projects.³² Each project is scored on three equally weighted criteria – employment generation, distribution of returns from the sale of CERs, and improved local air quality – to get an overall score for its contribution to sustainable development. Also the additionality of each project is measured by the effect of the revenue from the sale of CERs on the project's profitability; the larger the increase the greater the additionality of the project.

Projects are then categorized as making a large or small contribution to sustainable development and having low or high additionality. Sutter and Parreño find no projects that make a large contribution to sustainable development and are highly additional.³³ Most of the emission reductions (over 95 per cent) come from HFC and landfill gas projects that are highly additional but make a small contribution to sustainable development. They conclude that the first 16 registered CDM projects may be far from delivering their claims to promote sustainable development although this conclusion could change with different indicators and weights.³⁴

In response to concerns about the sustainable development contribution of CDM projects, several initiatives, including the Gold Standard and the Community Development Carbon Fund (CDCF)³⁵ were launched to support projects that meet specific sustainable development criteria. The Gold Standard label rewards best-practice CDM projects while the CDCF focuses on promoting CDM activities in underprivileged communities. Nussbaumer (2009) uses multi-criteria analysis to compare the sustainable development contributions of Gold Standard, CDCF and regular CDM projects. He applies 12 sustainable development criteria to 39 projects in 10 categories located in 12 countries.³⁶

Nussbaumer finds that the sustainable development profiles of Gold Standard and CDCF projects tend to be comparable with or slightly more ample than similar regular projects.³⁷ The Gold Standard and CDCF projects perform better with respect to social criteria while regular CDM projects perform better on economic criteria. Overall Nussbaumer states that “labeled projects do not drastically outperform non-labeled ones”, however the differences in the sustainable development performance of comparable categories of projects might be within the range of uncertainty intrinsic to such assessments.

Alexeew et al. (2010) apply a methodology similar to that used by Sutter and Parreño (2007) to assess the contribution to sustainable development and the additionality of 40 registered projects in India.³⁸ Contribution to sustainable development is assessed using 11 criteria – four social, four economic and three environmental. A project received a score between –1 and +1 for each criterion. The scores are summed – the criteria are weighted equally – to get an overall score for each project. Additionality is measured by the impact of the revenue from the sale of CERs on the project's profitability.

The sustainable development scores for individual projects range between 2 and 5.6 out of a possible range of –11 to +11. The values for each dimension of sustainability differ significantly across project types. Wind, hydro and biomass projects provide a relatively high number of sustainable development benefits. Energy efficiency and particularly HFC-23 projects are not as sustainable as the other kinds of projects.³⁹ Projects are categorized as making a large or small contribution to sustainable development and having low or high additionality. None of the projects both make a large contribution to sustainable development and have high additionality.⁴⁰

In a recent detailed study of 10 CDM projects Boyd et. al. (2009) found that it can be misleading to assess project's sustainable development outcomes only through the project the documentation as local conditions change or are not declared due owing to either a lack of understanding of possible contributions or by intentional omission of critical views and opinions.⁴¹

In summary, it should be noted that, despite the lack of precision in the definition and understanding of sustainable development, the occurrence of certain claims, in the PDD's and survey responses, that include environmental and social considerations (such as efficient utilization of natural resources, the reduction in noise, odours, dust or pollutants, the improvement and/or protection of natural resources, clean and available utilities, the promotion of renewable energy, health and safety) are almost always solely attributed by the participants to the CDM project and would not have occurred in its absence. This indicates that the CDM may indeed contribute to assisting developing countries in sustainable development.

This study shows that most CDM projects claim several sustainable development benefits, the most prominent being employment creation. The host country may have an effect on the mix of benefits claimed however the diversity of claims makes this difficult to ascertain. Similarly different types of projects claim high numbers of benefits. Apart from reduction of noise and pollution the type of claim has not changed significantly since the first CDM project was registered. The multitude of claims and relative accuracy of claims made, as verified by a survey, provides evidence to suggest that CDM projects may be making some contribution to sustainable development in the host country. However, there is much room for improvement in the approaches used for both the declaration and the assessment of sustainable development of CDM projects.

³¹ CDM projects are assessed with respect to multiple attributes (indicators), and the scores are weighted and aggregated to arrive at an overall assessment.

³² The 16 projects cover seven project types – six hydro projects, three landfill gas projects, two biomass projects, two HFC-23 destruction projects and 1 project each for residential energy efficiency, fossil fuel switch and wind – in nine host countries.

³³ The paper includes conflicting information on this conclusion. Figure 3 and the text (p. 87) indicate there are no projects with a high rating for both additionality and sustainable development. But Table 17 reports that 2 projects accounting for 0.1 per cent of the projected emission reductions for the 16 projects have both high additionality and a high contribution to sustainable development.

³⁴ Sutter and Parreño, 2007, p. 89.

³⁵ See < <http://wbcarbonfinance.org/> >

³⁶ The 12 sustainable development criteria consist of four each for the social, economic and environmental dimensions. The criteria are not aggregated or weighted. The project categories are: biogas (thermal); (four projects); industrial energy efficiency; (six); landfill gas; (three); biomass; (three); biogas (electricity generation); (three); building energy efficiency; (three); hydro (run of river); (six); hydro (new dam); (three); wind; (six) and solar cooking; (two). Ten of the projects are CDM, six are Gold Standard and 23 are regular CDM projects. Seventeen projects are located in India, eight in China, two each in Argentina, Honduras, Republic of Moldova and Nepal, and one each in Chile, Indonesia, Mexico, Panama, Peru and South Africa.

³⁷ Nussbaumer, 2009, p. 99.

³⁸ The 40 projects are a sample of the 379 that had been registered by 31 December 2008. They include 15 biomass, 12 wind, seven hydro, four energy efficiency and two HFC-23 destruction projects. Nine are regular CDM projects and 31 are small scale-projects.

³⁹ Alexeew et al., 2010, p. 12.

⁴⁰ Alexeew et al., 2010, figure 4, p. 11. This is consistent with Sutter and Parreño (2007). Unlike Sutter and Parreño, Alexeew et al. find that most projects make a large sustainable development contribution. That may be due to the project mix. Alexeew et al. (2010) assess 15 biomass and seven hydro projects (out of 40); project types that Sutter and Parreño also find to make a large contribution to sustainable development.

⁴¹ This is consistent with the comparison of sustainable development indicators compiled from PDDs and those from survey responses for the same project discussed in section 2.9 above.



TASOL
Solar Energy Solutions

III. TECHNOLOGY TRANSFER VIA CLEAN DEVELOPMENT MECHANISM PROJECTS

The transfer of technology is considered an important benefit to assist developing countries in achieving sustainable development. Some host countries specifically detail it as a requirement for approval of a project. As most GHG mitigation technologies are researched and designed in developed countries,⁴² to reduce emissions in developing countries the technologies need to be transferred to those countries.⁴³ The CDM is one mechanism by which they could be transferred. Other mechanisms for transfer of technology include licensing, foreign direct investment, trade and, more recently, establishment of global research and development networks, acquisition of firms in developed countries, and recruitment by firms in developing countries of experts from developed countries.

3.1. DEFINITION OF TECHNOLOGY TRANSFER

Similar to the broader concept of sustainable development, there is no universally accepted definition of technology transfer.⁴⁴ The Intergovernmental Panel on Climate Change (IPCC) defines technology transfer as “a broad set of processes covering the flows of know-how, experience and equipment for mitigating and adapting to climate change amongst different stakeholders such as governments, private-sector entities, financial institutions, non-governmental organizations (NGOs) and research/education institutions”.⁴⁵

This definition covers every relevant flow of hardware, software, information and knowledge between and within countries, from developed to developing countries and vice versa whether on purely commercial terms or on a preferential basis. The IPCC acknowledges that “the treatment of technology transfer in this report is much broader than that in the UNFCCC or of any particular Article of that Convention”.⁴⁶ In particular, the Convention and the CDM, as an international mechanism, focus on international transfers of technology.

In the literature the relative importance of the transfer of technological knowledge and equipment is an important issue. The United Nations Conference on Trade and Development (UNCTAD) excludes the mere sale or lease of goods from technology transfer.⁴⁷ Equipment that embodies a technology new to a country must be accompanied by transfer of sufficient knowledge to successfully install, operate and maintain the equipment.

Given possible differences in the interpretation of the meaning of technology transfer, the survey asked respondents for their view on when an organization can state it ‘has’ a technology.⁴⁸ Overwhelmingly, 68 per cent of respondents responded that it is when an organization uses and has knowledge of the technology. Simply using a technology (20 per cent) or having knowledge of a technology (10 per cent) is not sufficient. Thus, the views of the respondents are consistent with the literature.⁴⁹

Whether technology transfer also requires that the recipient country to be able to adapt the technology to local conditions, to produce similar equipment domestically, or to further develop the technology is debated in the literature. Even technologies that are widely used often rely on equipment manufactured in a relatively small number of countries and technology development in even fewer countries.⁵⁰ Expecting every country to be a producer or innovator for every technology is unrealistic.

⁴² Johnstone, et al., 2010., and Sterk et al., 2009

⁴³ The technologies may need to be adapted to developing countries’ conditions, and technologies may need to be developed to mitigate emissions from sources found predominantly in developing countries.

⁴⁴ Popp, 2011, p. 136.

⁴⁵ IPCC, 2000, p. 3.

⁴⁶ IPCC, 2000, p. 3.

⁴⁷ UNCTAD, 1985, chapter 1, paragraph 1.2.

⁴⁸ To assist respondents the survey defines the terms as follows: technology – could include equipment, machinery, tools, techniques, crafts, systems or methods of organization; use – could include owning and/or operating equipment or processes that use the technology; and knowledge – could include shared or exclusive participation in patents, licences, training programmes, academic papers, etc. relating to the technology.

⁴⁹ Foray, 2009; Lall, 1993; and Popp, 2011.

⁵⁰ Virtually every country has the capacity to operate and maintain electricity generating equipment, but electricity generating equipment of any given type – coal, oil, natural gas, nuclear, hydro, wind, solar, geothermal, etc. – is manufactured by a relatively small number of countries and the development of the generating technology occurs in even fewer countries.

⁵¹ Johnstone, et al., 2010.

At any time, international transfer of technology is unlikely if the technology is already available in the recipient country. Thus technology transfer via CDM projects is likely to be at a relatively low level for mature technologies already widely available in developing countries, such as hydroelectric generation and cement production. Technology development and transfer can happen quite quickly,⁵¹ so technology transfer via CDM projects may change over time.

3.2. TECHNOLOGY TRANSFER CLAIMS OF CLEAN DEVELOPMENT MECHANISM PROJECTS

Claims of technology transfer made by project participants in the PDDs for 3232 projects registered as at 31 July 2011 have been tabulated and analysed.⁵² CDM project participants are specifically requested in section A.4.3 of the PDD to “include a description of how environmentally safe and sound technology and know-how to be used is transferred to the host Party(ies).”⁵³ The CDM glossary of terms does not define ‘technology transfer’.⁵⁴

Each PDD is searched using a number of keywords to ensure that all statements relating to technology transfer are identified. The statements are tabulated under the following claim categories of claims:

- The project is expected to use imported equipment;
- The project is expected to use imported knowledge;
- The project is expected to use imported equipment and knowledge;
- It is stated that the project will not involve technology transfer;
- There are no statements with respect to technology transfer;
- Other statements relating to technology transfer.

It can be inferred from the statements in the PDDs that project participants overwhelmingly interpret technology transfer to mean the use of equipment and/or knowledge not previously available in the host country by the CDM project.⁵⁵

Technology transfer related statements in the PDD reflect expectations at the time the project is being validated. The actual nature and frequency of technology transfer may differ as discussed in [section 3.6](#) below.

3.3. TECHNOLOGY TRANSFER BY PROJECT TYPE


Project characteristics and the frequency of technology transfer – by number of projects and share of expected annual emission reductions – are shown in [figure III-6](#) and [table VII-10](#) in the annex to this document for UNEP project types and in [figure III-7](#) and [table VII-11](#) in the annex to this document for UNFCCC project categories.⁵⁶ The PDDs of 21 per cent of the projects made no explicit statement concerning technology transfer. Of the projects that claim, or explicitly state that they do not involve, technology transfer, 42 per cent of all projects representing 64 per cent of the total estimated annual emission reductions claim technology transfer.⁵⁷

Not surprisingly, the distribution of technology transfer claims by UNEP project type is similar to that in the study conducted in 2010.⁵⁸ The largest difference versus the 2010 study is for the energy efficiency (households) project type where the percentages of projects claiming technology transfer (64 per cent) and estimated associated emission reductions (86 per cent) are substantially higher than the corresponding figures in the 2010 study – 38 per cent and 58 per cent, respectively. This may be due to the smaller number of projects (26) in this study versus a slightly higher number (32) in the 2010 study (see [table IV-6](#)).

As expected, the rate of technology transfer is lowest for hydro and cement type projects, which are mature technologies that are widely available in developing countries.

For the UNFCCC project categories (see [table VII-11](#) in the annex to this document and [figure III-7](#)), the highest rates of technology transfer are claimed for industrial gases (over 90 per cent) and methane avoidance (about 85 per cent) projects. The lowest rates of technology transfer are claimed for biomass energy (about 35 per cent) and renewable energy (just over 20 per cent) projects.

Figure III-6. Technology transfer by UNEP project type as a percentage of total registered projects



⁵¹ Johnstone, et al., 2010.

⁵² In total, 44 of the 3,276 projects registered as at 31 July, 2011 could not be assessed with respect to technology transfer.

⁵³ UNFCCC, 2008, p. 8.

⁵⁴ UNFCCC, 2009


⁵⁵ A small number of projects claim transfer of technology within the host country. These projects are assessed as not involving (international) technology transfer.

⁵⁶ The project characteristics are based on the 3,276 registered projects, while the technology transfer percentages cover the 3,232 projects for which technology transfer information was tabulated.

⁵⁷ UNFCCC, 2010, table IV-6, p. 32 shows corresponding figures of 40 per cent and 59 per cent respectively for 4,984 projects in the pipeline (registered or under validation) as of 30 June 2010. Virtually all of the 3,276 projects covered in the table VII-11 in the annex to this document are covered by the 2010 study.

⁵⁸ UNFCCC, 2010, table IV-6, p. 32.

Figure III-7. Technology transfer by UNFCCC project categories as a percentage of total registered projects



3.4. TECHNOLOGY TRANSFER BY HOST COUNTRY

The rate of technology transfer by host country is presented in table III-3 for the 10 host countries with the most projects. The results are similar to those reported in the 2010 study.⁵⁹ This is not surprising since virtually all of the 3,232 projects

covered in table III-3 are covered by the 2010 study together with other projects not registered by 31 July 2011. The Philippines is one of the ten largest host countries covered in table III-3, but when projects being validated were included in the 2010 study it was replaced by Chile.

Table III-3. Technology transfer for registered projects in selected host countries

Country	Number of projects	Estimated emission reductions (CO ₂ eq/year)	Average project size (CO ₂ eq/year)	Technology transfer claims		Percentage of projects where technology transfer could not be determined
				Number of projects	Annual emission reductions	
Brazil	195	23,081,763	118,368	35%	64%	26%
China	1,468	311,566,074	212,238	20%	52%	9%
India	694	52,996,395	76,364	16%	42%	37%
Indonesia	70	7,532,212	107,603	62%	49%	35%
Republic of Korea	61	18,724,386	306,957	53%	77%	37%
Malaysia	93	5,419,865	58,278	59%	67%	34%
Mexico	129	10,556,788	81,836	91%	90%	9%
Philippines	54	2,104,988	38,981	59%	68%	17%
Thailand	53	3,104,655	58,578	83%	86%	17%
Viet Nam	64	3,385,143	52,893	74%	46%	21%
All other countries	395	54,475,399	137,912	62%	66%	31%
Total	3,276	492,947,668	150,472	33%	55%	21%

3.5. TREND IN TECHNOLOGY TRANSFER


The rate of technology transfer has declined over the life of the CDM as shown in [figure III-8](#).⁶⁰ The decline has been steeper than the overall average in Brazil, China and India.⁶¹ Initially, China had a rate of technology transfer higher than the average for all countries, but the rate is now substantially lower. India has consistently had a rate of technology transfer lower than the average for all countries. The rate of technology transfer for other host countries has been much higher than the overall average and has declined only slightly.

Several factors contribute to these results. First, as more projects of a given type are implemented in a country, the rate of new technology transfer declines, since local technology access has been created through previous projects. Second, the transfer of technologies used by CDM

projects appears to have been happening through other channels as well, for example via licensing, foreign direct investment, R&D networks, mergers, acquisitions and the recruitment of foreign experts.⁶² Finally, changes in the mix of registered projects may affect the rate of technology transfer since each project type has a different frequency of technology transfer.

Over time, the need for technology transfer falls as local sources of knowledge and equipment become more available and expertise in the technologies grows. This reflects the contribution made by the CDM to a developing country and the increasing maturity in the countries use of the CDM as the need for the further inflow of technology is reduced. Nevertheless, the vast majority of developing countries involved in the CDM currently remain at the stage at which substantial levels of technology transfer still need to be, and are being, received.

Figure III-8. Trends in technology transfer claims by host country



⁵⁹ UNFCCC, 2010, [table IV-4](#), p. 22.

⁶⁰ The data in [figure III-8](#) are by number of projects and by the year in which a project is registered. The decline is larger when measured in terms of estimated annual emission reductions.

⁶¹ The number of projects where technology transfer is known, but are too few for Brazil in 2009 and 2010, and for China and India in 2004, are not shown in [figure III-8](#).

⁶² Haščić and Johnstone, 2009; Lema and Lema, 2010.

3.6. COMPARISON OF CLAIMS IN PROJECT DESIGN DOCUMENTS AND SURVEY RESPONSES

The technology transfer claims from the PDDs are compared with the survey responses for the same projects in [table III-4](#).

The survey responses indicate that 57 per cent of the 110 projects that stated that they do not expect technology transfer did not involve technology transfer.⁶³ Of the 89 projects that made no statement about technology transfer, 75 per cent involved some form of technology transfer. Of the 175 projects whose PDD stated that some form of technology transfer was anticipated, 152 (87 per cent) actually involved technology transfer.⁶⁴ Transfer of both equipment and knowledge was more common than anticipated in the PDDs.⁶⁵

These results are quite similar to those reported from an earlier survey reported in the 2010 study.⁶⁶ That survey found that a claim of “no technology transfer” claim in a project’s PDD was correct 88 per cent of the time (57 per cent in [table III-4](#)). Projects that expected some form of technology transfer actually involved technology transfer 89 per cent of the time (87 per cent in [table III-4](#)) and transfer of both knowledge and equipment was more frequent than expected. A total of 58 per cent of the projects that did not mention technology transfer in their PDD involved technology transfer (75 per cent in [table III-4](#)). The two surveys confirm the basic accuracy of the technology transfer claims made in the PDDs.

Table III-4. Comparison of technology transfer (TT) claims in the project design documents versus survey responses

PDD claims	Specifically states no transfer	Unknown	Transfer of equipment only	Transfer of knowledge only	Transfer of equipment and knowledge	Total
Specifically states no transfer	57%	5%	9%	7%	21%	110
Unknown	21%	3%	24%	11%	40%	89
Transfer of equipment only	7%	2%	24%	7%	60%	45
Transfer of knowledge only	11%	0%	11%	15%	63%	27
Transfer of equipment and knowledge	13%	3%	13%	2%	70%	103

3.7. OTHER STUDIES ON TECHNOLOGY TRANSFER AND THE CLEAN DEVELOPMENT MECHANISM

Several papers have analysed technology transfer by CDM projects for registered projects (de Coninck et al. 2007; Dechezleprêtre et al. 2008; and Das 2011) or projects in the pipeline (Haïtes et al. 2006; Seres et al., 2009; UNFCCC, 2007, 2008 and 2010; and Haïtes et al. 2012) using information from PDDs.⁶⁷ All of these papers find that a substantial share of the CDM projects claim technology transfer. The frequency of technology transfer varies with the project characteristics, including project type, and the host country.

Results from the most recent and most comprehensive analysis (Haïtes et al., 2012) indicate that:

- The frequency of technology transfer differs significantly by project type;
- Larger projects are more likely to involve technology transfer;
- Small-scale projects are less likely to involve technology transfer;
- The host country has a significant influence on the rate of technology transfer;
- Technology transfer falls as the number of projects of the same type in a host country increases; and
- Technology transfer was more common during the early years of the CDM and has become less frequent since 2008.

A host country with a larger population, higher tariffs, more ODA per capita, a higher percentage of renewable energy generation, a higher ranking for the ease of doing business, a higher score on the democracy index and a greater technological capacity (as measured by discounted stock of patent applications) is likely to have a lower rate of technology transfer for CDM projects. Changes in these country characteristics affect the rate of technology transfer in CDM projects with different time lags. Most of the host country variables have a lag of only one or two years, which suggests that their effect on the rate of technology transfer is relatively quick.

Hašič and Johnstone (2009) study international transfer of wind technology from 1988 through 2007 and conclude that the CDM has had an influence on the extent of transfer between developed and developing countries, but that this effect is relatively small compared with other factors. Das (2011) concludes that the contribution of the CDM to technology transfer can at best be regarded as minimal. This is apparently based on an expectation that every project should involve technology transfer.⁶⁸ In almost all projects that involve technology transfer, she finds that the technological learning and capability-building are restricted to the level of operation and maintenance of an imported technology.

This study has shown there to be little overall difference in the levels of claimed technology transfer for registered projects for both types of projects and host countries. The claims in the PDD's are also as accurate as have been shown in the past. Industrial gas projects tend to claim the highest and biomass and renewable energy projects the lowest levels of technology transfer. As indicated in other studies too, the rates of technology transfer over time show that the need for technology transfer falls as local sources of knowledge and equipment become more available, and expertise in available technologies grows. However there are many developing countries, also involved in the CDM, who could still benefit from technology transfer through the CDM or other channels.

⁶³ 24 per cent + 11 per cent + 40 per cent = 75 per cent

⁶⁴ Transfer of equipment only (45), transfer of knowledge only (27) and transfer of equipment and knowledge (103).

⁶⁵ 60 per cent for transfer of equipment only and 63% for transfer of knowledge only. The total number that involved both knowledge and equipment transfer was 116, compared with the 103 based on the PDD information.

⁶⁶ UNFCCC, 2010, Table A-8, p. 37.

⁶⁷ A statistical test indicates that registered projects and projects in the pipeline that have not yet been registered are similar in terms of technology transfer and can be grouped together for analysis. (UNFCCC, 2010, Annex B).

⁶⁸ The conclusion is supported by the statement that "out of 1000 projects studied, only 265 involve technology transfer."



IV. INVESTMENTS IN AND COSTS OF CLEAN DEVELOPMENT MECHANISM PROJECTS

4.1. INVESTMENT TRIGGERED BY CLEAN DEVELOPMENT MECHANISM PROJECTS


Many CDM projects declare financial information relating to the proposed project activity using a set of tools offered by the CDM Executive Board as a way to demonstrate additionality.⁶⁹ The PDDs, support documents and appendices

for 1,407 projects were analysed to gather data on the financials of CDM projects registered as at 31 July 2011. The information gathered per project included:

- Capital investment;
- Average annual operational costs;
- Average annual income (non-CER sources);
- Sources of income (description);
- Expected operating lifetime;
- Discount rate;
- Financial benchmark.

The cost information collected was used to calculate the cost per tonne of GHG gas emissions reduced by project type, which varied widely by project type.⁷⁰ The appropriate cost per tonne was then used to estimate the cost of projects that did not provide this information in the PDD.

Figure IV-9. Investment in clean development mechanism projects by year (USD billion)



⁶⁹ See <<https://cdm.unfccc.int/Reference/tools/index.html>>.

⁷⁰ UNEP project types and subtypes are used to provide as many different project types as possible and so capture the diversity in the cost by project type.

Figure IV-9 shows the estimated capital investment for all registered projects in each year of registration to the end of 2010. For projects registered late in the year, much of the investment likely occurs during the following year. Since the investment rises over time, the amount for a given year probably overstates the investment actually made during the year. As some projects may be delayed or never be implemented, figure IV-9 also shows the estimated investment by year for projects, which have either requested issuance or have been issued CERs (collectively shown as issuance) – projects that are certain to have been implemented. Since it is not absolutely certain that a registered CDM project is eventually implemented and as issuance projects are conservative proxies for implemented projects, the true investment per year lies somewhere between the two curves shown in figure IV-9.

The estimated investment in registered projects rose from USD 40 million in 2004 to USD 47 billion in 2010, totalling over USD 140 billion to mid 2011 (see table VII-12 in the annex to this document). The estimated investment in registered projects, which have requested issuance or have CERs issued (issuance) rose from USD 40 million in 2004 to almost USD 24 billion in 2009, totalling over USD 81 billion to mid 2011.

The apparent decline in investment and in the number of projects that have requested issuance or have been issued CERs (issuance) in 2010 is due mainly to the time lag between registration of the project and the first request for

issuance of CERs. Typically several months are required before issuance can take place after a project is registered, implemented and has operated for some time. Emission reductions need to be independently verified by a DOE which takes time, and projects request issuance based on the economic or contractual need and not at predefined intervals. Therefore, it is likely that more projects have been implemented and more investment has taken place in 2010, than is shown in figure IV-9.

The cumulative estimated investment by region up to mid 2011 as presented in table IV-5, shows that the average investment is approximately USD 45 million per project. Over 75 per cent of all projects in the Asia-Pacific region have an average investment about 15 per cent higher than the global average. The higher average in this region could be due to a larger average project size or a combination of larger and more capital intensive projects. In all other regions, the average investment is generally less than half of the global average.

The estimated investment by host country is provided in table VII-12 in the annex to this document. About one quarter of the host countries, including countries in each region, have projects with an average investment higher than the global average. The differences in the average investment are due, at least in part, to differences in the mix of projects implemented in host countries, both in terms of the type of project such as a capital intensive hydro projects and or the overall project size.

Table IV-5. Estimated investment in clean development mechanism projects by region (USD million)

	Number of projects		Total investment		Average investment	
	Registered	Issuance	Registered	Issuance	Registered	Issuance
Africa	69	31	2,369	1,031	34	33
Asia and the Pacific	2,653	1,453	127,763	74,466	48	51
Economies in transition	13	5	144	74	11	15
Latin America and the Caribbean	541	344	11,458	5,957	21	17
Total	3,276	1,833	141,734	81,529	43	44

4.2. COST OF EMISSION REDUCTIONS

From information contained in PDDs, it is possible to estimate the mitigation cost by category or type of project. Essentially, this is the total cost of the project including initial outlay of capital and the annual net operational expenditures per CER expected for each type. From a project developer's standpoint, this mitigation cost should be below the expected CER price in order to make the project viable. As shown in the equation below, a project's mitigation cost is defined as the net present value⁷¹ of its annual operations costs less its non-CDM related revenues (e.g. income from electricity sales for wind projects), plus the capital expenditures, all divided by the amount of GHG emission reductions it expects to achieve over its crediting period.⁷²

$$C(CDM)_i = \frac{\sum_{t=1}^{cp} \frac{(C_t - R_t)}{(1+r)^t} + I_0}{\sum_{t=1}^{cp} A_t}$$

Where:

- $C(CDM)_i$ is the abatement cost of project i (in USD/t CO₂ eq);
- t is the time period (in years);
- cp is the length of its crediting period(s) (10 or 21 years);
- C^t is the operation costs in year t (in USD);
- R^t is the non-carbon revenues in year t (in USD);
- I^0 is the initial investment (in USD);
- A^t is the abatement achieved by the project in year t (in t CO₂ eq);
- r is the discount rate.

All costs are expressed in USD, calculated using the current interbank exchange rate at the date the project started operations or was submitted for validation. The discount rate was the rate used to demonstrate additionality and is typically expressed as a discount rate, benchmark rate or hurdle rate. Where a rate was not disclosed, a country average was applied. Castro (2010) uses a median discount rate by country to normalize abatement costs, as the rate can vary significantly from one project to another within a single host country and this, in turn, could lead to less reliable abatement cost estimates. However, this study did not find that to be the case.⁷³

In terms of the time period the crediting period was chosen over the operational lifetime of the project. For many projects, project developers tend to consider a lifetime equal to its crediting period, even if the project has a longer life. More than 60 per cent of all CDM projects choose a renewable seven-year crediting period for a maximum of 21 years and the remainder choose a single crediting period, usually 10 years. Some projects used shorter crediting periods, while others, especially hydro projects, typically have a much longer operational lifetime. For the calculation of costs, the time period that most likely informed the investment decision by the project developer was chosen – the CDM crediting period. Abatement costs were calculated for all projects that included data for capital and operational expenditures, and non-carbon revenues. For some projects either the revenue or the operational costs were not available. This reduced the number of projects to 1,014. Out of these 640 have a 21-year crediting period and 374 projects have a 10-year crediting period. Owing to the significant differences between these two periods, the abatement costs by UNFCCC project category and UNEP project type are provided in [tables IV-6](#) and [IV-7](#) by crediting period.

⁷¹ As interest rates are generally positive, the net present value is the standard method used in order to discount future costs and benefits to current values.

⁷² Castro, 2010, p. 12.

⁷³ Abatement costs were calculated using both a country standard discount rate and the discount rates from individual PDDs and no significant differences were found.

Table IV-6. Abatement costs by UNFCCC project category (USD/t CO₂ eq)

UNFCCC project categories	21-year crediting period			10-year crediting period			Total
	Number of projects	Average (USD/t CO ₂ eq)	Standard deviation (USD/t CO ₂ eq)	Number of projects	Average (USD/t CO ₂ eq)	Standard deviation (USD/t CO ₂ eq)	Number of projects
Afforestation and Reforestation	2		3				2
Biomass Energy	49	- 1	8	20	- 3	23	69
Methane Avoidance	115	2	3	101	4	5	216
Energy Efficiency	11	1	3	10	23	23	21
Flaring and Fuel Switch	2	5	7	10	- 2	42	12
Industrial Gases	13		1	8	4	12	21
Mining and Others	20	4	15	26	1	2	46
Renewable Energy	423	7	49	163	49	133	586
Waste Energy	5	- 1	2	36	7	19	41
Total	640	5	40	374	24	91	1,014

Table IV-7. Abatement costs by UNEP project type (USD/t CO₂ eq)

UNEP project types	21-year crediting period			10-year crediting period			Total
	Number of projects	Average (USD/t CO ₂ eq)	Standard deviation (USD/t CO ₂ eq)	Number of projects	Average (USD/t CO ₂ eq)	Standard deviation (USD/t CO ₂ eq)	Number of projects
Biomass energy	65	- 3	11	39	- 12	23	104
Cement	1	5		3	3	2	4
Coal bed/mine methane	18		1	25	1	2	43
Energy efficiency industry				4	10	10	4
Energy efficiency own generation	5	- 1	2	33	7	20	38
Energy efficiency supply side	3	4	4	4	28	25	7
Energy distribution	1	- 3		1	3		2
Fossil fuel switch	8		2	7	8	58	15
Fugitive	1			4	5	5	5
Geothermal	4	- 2	5				4
Hydro	230	2	8	48	15	41	278
Landfill gas	50	2	3	40	4	4	90
Methane avoidance	60	2	3	58	4	6	118
N ₂ O	12	1					12
PFCs and SF ₆				7		8	7
Reforestation	2		3				2
Tidal	1	5					1
Transport	1	67					1
Wind	170	3	7	91	29	14	261
Total (excluding Solar)	632	2	8	364	10	24	996
Solar	8	280	227	10	509	229	18
Total	640	5	40	374	24	91	1,014

The average abatement cost for all registered projects with a 21-year crediting period is USD 5/t CO₂ eq. Excluding solar projects, as they are substantially more costly than other types of project, the average project abatement cost falls to USD 2/t CO₂ eq. This is consistent with the findings of Castro (2010) who calculates the mitigation cost for 29 technologies using data from 252 registered projects in eight countries.⁷⁴ Twenty-two of the project types have a mitigation cost of USD 5/t CO₂ eq or less.⁷⁵ The average abatement cost for all registered projects with a 10-year crediting period is USD 24/t CO₂ eq, and USD 10/t CO₂ eq without solar projects.

There is substantially more variance in the abatement costs for projects with a 10-year crediting period relative to those with a 21-year crediting period as shown by the higher standard deviations for 10-year crediting period projects. Excluding solar projects, the standard deviation is USD 8/t CO₂ eq for projects with a 21-year crediting period. This means that most projects have an abatement cost of USD 2/t CO₂ eq plus or minus USD 8/t CO₂ eq, or in other words, abatement costs are between USD -6 and USD 10/t CO₂ eq.

Similarly, for projects with a 10-year crediting period, the standard deviation is USD 24/t CO₂ eq such that abatement costs are between USD -14 and USD 34/t CO₂ eq. This is due mainly to a smaller denominator in the abatement cost equation for this group. That is, project costs which would presumably be the same as for their 21-year crediting period counterparts are normalized by a much lower amount of emission reductions (over 10 rather than 21-years). This leads to a higher abatement cost and more volatility in its estimation.

This is also shown in figures IV-10 and IV-11 where the boxes illustrate the average abatement cost, give or take one standard deviation, and the horizontal lines provide the highest and lowest abatement costs.⁷⁶

How can an abatement cost be negative? If the non-carbon revenue over the life of a project is greater than the capital and operational expenditures, its abatement cost will be below zero. It is evident from figures IV-10 and IV-11 that there are a number of projects that are profitable without CDM revenue. However, the profits may be below a benchmark that accounts for the risks involved or there may be other barriers impeding the project. Therefore, a negative abatement cost does not automatically imply that the project is not meeting criteria for additionality.

It should be noted that there could be a negative abatement cost bias for all biomass energy projects. Biomass energy projects typically involve converting biomass residues to energy for own use or for resale. For these projects, it was not always evident in the documentation if the biomass residues were purchased or if they were the residues of another process. If the project developer purchases the biomass, it is not always clear if this cost has been included as part of the operational costs of the project. It is likely that some of these costs have not been recorded, which would cause biomass projects to appear to be more profitable than they actually are. This is shown in figures IV-10 and IV-11, where the bulk of abatement costs for biomass energy projects are negative. This issue is not likely for other types of projects shown in this study.

In summary, the fact that some participants choose a shorter crediting period that can result in costs that are higher per expected emission reduction than the price of a CER, and the presence of very costly solar projects, especially those using photovoltaic technology, suggests that the primary motivation for the implementation of these projects is not the CDM. This is not to say that they would have been implemented without revenues from CERs, it is simply that, while some CDM projects with very low abatement costs have obvious financial benefits, which is enough incentive for the projects to take place, others seem less obvious. Implementation of these projects may be motivated by other reasons such as to help fund research into renewable technologies that potentially have a lower abatement cost in the long run.

⁷⁴ Castro, 2010. The categories used were UNEP project types and sub-types. The eight countries are Argentina, China, Israel, Malaysia, Mexico, Republic of Korea, South Africa and Thailand. The mitigation cost for HFC-23 destruction projects was estimated from published sources, as none of these projects included sufficient financial information to calculate their costs.

⁷⁵ Castro, 2010, figure II-2, p. 13.

⁷⁶ The data for UNEP project types Afforestation, CO₂ usage, Energy efficiency household, Energy efficiency service, and HFCs was insufficient for the calculation of abatement cost and so were excluded from figures IV-10 and IV-11, and table IV-7.

Figure IV-10. Abatement costs of UNEP project types with a 21-year crediting period





Figure IV-11. Abatement costs of UNEP project types with a 10-year crediting period



4.3. OTHER STUDIES ON COSTS OF THE CLEAN DEVELOPMENT MECHANISM

Financial data from the PDDs for 840 projects submitted for validation during 2003-2008 are used by Rahman et al. (2009) to estimate mitigation costs for 10 project types – biogas; biomass; hydro; wind; geothermal; hydrofluorocarbon, perfluorocarbon and nitrous oxide reduction; methane reduction, coal bed/mine and cement; supply-side energy efficiency; demand-side energy efficiency; and fossil fuel switch. The estimated marginal cost curves suggest economies of scale in emission abatement and cost differences by project type.⁷⁷ In particular, nitrogen and methane gas reduction projects are characterized by much lower marginal costs relative to wind or biomass projects.⁷⁸ The authors conclude that investors focus on projects with low mitigation costs, so the CDM market is operating efficiently and sending the right signals to the investors.⁷⁹

Castro (2010) uses the mitigation costs to analyse whether CDM projects are capturing most of the low-cost emission reductions – the ‘low-hanging fruit’ – in the host countries. That might raise the cost to those countries of meeting possible future mitigation targets.⁸⁰ She uses the mitigation costs and the projected annual emission reductions for all CDM projects proposed as at October 2009 to develop a marginal abatement cost (MAC) curve for nine countries (Argentina, China, Indonesia, Israel, Malaysia, Mexico, Thailand, South Africa and South Korea). The MAC curve ranks the project types in order of increasing cost and shows the estimated annual emission reductions for each type. With the lowest (often negative) cost option at the origin, the MAC curve rises step-wise as one moves to the right and adds progressively more costly project types. The MAC curves show the potential emission reduction that could be achieved for less than a specified cost per t CO₂ eq.

Castro compares her MAC curves for CDM projects with MAC curves of all emission reduction options for the year 2010 for six of the nine countries above (excl. Indonesia, Israel and Malaysia). She finds that the percentage of abatement potential captured by the CDM projects ranges from 1.8 per cent in South Africa to 30.9 per cent in China.⁸¹ On the basis of these results Castro concludes that there are still plenty of low-cost opportunities available – the low-hanging fruit argument is weak. In other words the CDM is not capturing all of the identified abatement potential in these countries.⁸²

⁷⁷ The marginal costs did not decrease over time. (Rahman et al., 2009, pp. 16 and 17).

⁷⁸ Rahman, et al., 2009, p. 16.

⁷⁹ Rahman, et al., 2009, p. 16.

⁸⁰ Such an impact depends on the evolution of carbon credit prices, the way in which future abatement commitments for developing countries are set, whether CDM projects are developed unilaterally or bilaterally, the market power of the countries, and on the ability to bank credits from one commitment period to the next (Castro, 2010, pp. 8-9).

⁸¹ Castro, 2010, table 1, p. 22. The figures for the other countries are: Mexico 2.1 per cent; Thailand 8.8 per cent; Argentina 17.6 per cent and Republic of Korea 17.7 per cent.

⁸² Castro, 2010, p. 24.



V. OPPORTUNITIES FOR IMPROVEMENT

This study has shown it is possible to make an initial estimate of the claimed contribution of the CDM to benefits for the host countries. These include a myriad of possible sustainable development criteria that are apparently being achieved at a project level, as well significant levels of international transfer of technology and know-how. It has also shown that it is possible to ascertain the overall investment due to the CDM and provide a basic cost estimate of CDM specific mitigation technologies and actions. It does however pose new questions and several areas for improvement.

Assessment of the sustainable development contribution of CDM projects requires, as a starting point, a set of indicators that can capture all of the benefits claimed in a consistent fashion. The indicators used in this and earlier studies do not fully meet this requirement. Further analysis of the PDD claims and survey responses can help identify indicators whose descriptions appear to be unclear. A revised set of indicators could be developed, subjected to expert review and public comment, and tested through a survey. In addition, some ex post verification of PDD claims and survey responses would likely need to be conducted.

Technology transfer via the CDM has been extensively analysed and been found to be a complex, dynamic process. While surveys show that the PDD claims are reasonably accurate, more ex-post data could improve the analyses. More research on the relative contributions of the CDM and other mechanisms to technology transfer would also be useful.

The additionality of the emission reductions achieved by CDM projects is critical for environmental integrity. A CDM project can reduce GHG emissions in several ways:

- (1) Project reductions during its crediting period;
- (2) Project reductions after the end of the crediting period;
- (3) Increased adoption of the project's climate friendly technology in the host country due to increased awareness and/or technology transfer; and
- (4) Less emissions leakage from Parties included in Annex B to the Kyoto Protocol, owing to reduced compliance costs.

The CDM additionality tests focus only on the first category of GHG emission reductions. The emission reductions in the second category can be calculated from available data. While some research is available on the emission reductions in the latter two categories, more research is needed for each category. There is not yet sufficient evidence to conclude that the emission reductions, in the first category, or overall, exceed the CERs issued for CDM projects.

One of the objectives of the CDM is to assist Annex I Parties in complying with their emission limitation and reduction commitments under the Kyoto Protocol. The contribution of the CDM to this objective can be assessed in terms of the projected use of CERs for compliance by Annex I Parties and cost savings due to the use of CERs relative to domestic emission reductions by Annex I Parties. Some research on both of these topics is available, but more would be useful to evaluate the performance of the CDM with respect to this objective.

Some of the above improvements and further work will be covered in future reports.



VI. REFERENCES

- ADAMS, W.M., 2006. "The Future of Sustainability: Rethinking Environment and Development in the Twenty-first Century." Report of the International Union for Conservation of Nature Renowned Thinkers Meeting, 29–31 January 2006.
- ALEXEEV, J., BERGSET, L., MEYER, K., PETERSEN, J., SCHNEIDER, L., UNGER, C., 2010. "An analysis of the relationship between the additionality of CDM projects and their contribution to sustainable development," International Environmental Agreements. 10(3): pp.233–248.
- BOYD, E., HULTMAN, N., ROBERTS, J., CORBERA, E., COLE, J., BOZMOSKI, A., EBELING, J., TIPPAN, R., MANN, P., BROWN, K. AND LIVERMAN, D., 2009, *Reforming the CDM for sustainable development: lessons learned and policy future*. Environmental Science & Policy, 12 (7), pp. 820-831.
- CASTRO, P., 2010. "Climate change mitigation in advanced developing countries: Empirical analysis of the low-hanging fruit issue in the current CDM," Working paper 54, Center for Comparative and International Studies, Swiss Federal Institute of Technology Zurich and University of Zurich, Zurich.
- DAS, K., 2011. *Technology transfer under the Clean Development Mechanism: an empirical study of 1000 CDM projects*. Working Paper 014, The Governance of Clean Development Working Paper Series. School of International Development, University of East Anglia, United Kingdom.
- DE CONINCK, H.C., HAAKE, F., VAN DER LINDEN, N., 2007. *Technology transfer in the Clean Development Mechanism*. Climate Policy. 7(5): 444-456.
- DECHEZLEPRÊTRE, A., GLACHANT, M., MÉNIÈRE, Y., 2008. *The Clean Development Mechanism and the international diffusion of technologies: An empirical study*. Energy Policy. 36:1273-1283.
- FORAY, D., 2009. *Technology Transfer in the TRIPS Age: The Need for New Types of Partnerships between the Least Developed and Most Advanced Economies*. Issue Paper No.23, International Centre for Trade and Sustainable Development.
- HAITES, E., DUAN, M., SERES, S. 2006. *Technology transfer by CDM projects*. Climate Policy. 6(3): 327–344.
- HAITES, E., KIRKMAN, G.A., MURPHY, K., SERES, S., 2012. "Technology Transfer and the CDM," in David G. Ockwell and Alexandra Mallett, (eds.), *Low carbon technology transfer: from rhetoric to reality*, London: Earthscan.
- HAŠČIČ, I., JOHNSTONE, N., *The Clean Development Mechanism and international technology transfer: empirical evidence on wind power using patent data*, Paris: Organisation for Economic Co-operation and Development (OECD).
- HUQ, S., 2002 *Applying Sustainable Development Criteria to CDM Projects: PCF Experience*, PCFplus Report 10, Prototype Carbon Fund, World Bank, Washington DC, (available at <http://pubs.iied.org/pdfs/G00083.pdf?>)
- Intergovernmental Panel on Climate Change (IPCC)*, 2000. *Methodological and Technological Issues in Technology Transfer*, B. METZ, O.R. DAVIDSON, J-W. MARTENS, S.N.M. VAN ROOIJEN AND L VAN WIE MCGRORY, EDS., Cambridge University Press, Cambridge: Cambridge, U.K.
- JOHNSTONE, N., HAŠČIČ, I., WATSON, F., 2010. *Climate policy and technological innovation and transfer: An overview of trends and recent empirical results*. Paris: OECD,
- LALL, S., 1993. "Understanding technology development," Development and Change, 24(4), 719-53.
- LEMA, R., LEMA, A., 2010, *Whither technology transfer? The rise of China and India in green technology sectors*. Presented at 8th Globelics International Conference: Making Innovation Work for Society: Linking, Leveraging and Learning, November 1–3, 2010, Kuala Lumpur, Malaysia. Under Review, Innovation & Development.
- OLSEN, K. H., 2007. *The Clean Development Mechanism's contribution to sustainable development: A review of the literature*, Climatic Change, 84(1), pp. 59-73.
- OLSEN, K.H., FENHANN, J., 2008. "Sustainable development benefits of clean development mechanism projects. A new methodology for sustainability assessment based on text analysis of the project design documents submitted for validation," Energy Policy, 36(8), 2819–2830.
- POPP, D., 2011. *International technology transfer, climate change, and the Clean Development Mechanism*. Review of Environmental Economics and Policy. 5(1): 131-152.

RAHMAN, S.M., LARSON, D., DINAR, A., 2009. "The cost structure of emissions abatement through the Clean Development Mechanism," Paper presented at the Agricultural & Applied Economics Association's 2009 AAEA & ACCI Joint Annual Meeting, Milwaukee, WI, July 26-28, 2009.

SERES, S., HAITES, E., MURPHY, K., 2009. *Analysis of technology transfer in CDM projects: An update*. Energy Policy. 37: 4919–4926.

STERK, W., RUDOLPH, F., ARENS, C., EICHHORST, U., KIYAR, D., WANG-HELMREICH, H., SWIDERSKI M., 2009. *Further Development of the Project-Based Mechanisms in a Post-2012 Regime*, Wuppertal Institute for Climate, Wuppertal, Environment and Energy, Wuppertal.

SUTTER, C., PARREÑO, J.C., 2007. "Does the current clean development mechanism (CDM) deliver its sustainable development claim? An analysis of officially registered CDM projects," Climatic Change, 84, 75–90.

United Nations Conference on Trade and Development (UNCTAD), 1985. "Draft International Code of Conduct on the Transfer of Technology, as at the close of the sixth session of the Conference on 5 June 1985", document No.TD/CODE TOT/47, 20 June, United Nations, Geneva.

United Nations Framework Convention on Climate Change (UNFCCC), 2008. *Guidelines for Completing the Project Design Document (CDM-PDD), and the Proposed New Baseline and Monitoring Methodologies (CDM-NM)*, version 07. Available at: http://cdm.unfccc.int/Reference/Guidclarif/pdd/PDD_guid04.pdf

United Nations Framework Convention on Climate Change (UNFCCC), 2008. *Analysis of Technology Transfer in CDM Projects*. (SERES, S.) Available at: <http://cdm.unfccc.int/Reference/Reports/TTreport/index.html>

United Nations Framework Convention on Climate Change (UNFCCC) 2009. *Glossary of terms*. Available at: https://cdm.unfccc.int/Reference/Guidclarif/glos_CDM.pdf

United Nations Framework Convention on Climate Change (UNFCCC), 2010. *Analysis of the contribution of the clean development mechanism to technology*. (STEPHEN SERES S., HAITES, E., MURPHY, K.) UNFCCC, Bonn. Available at: <http://cdm.unfccc.int/Reference/Reports/TTreport/TTrep10.pdf>

World Commission on Environment and Development, 1987. *Our Common Future*, Oxford: Oxford University Press, Oxford.

VII. ANNEXES/TABLES

Table VII-8. Definitions of UNFCCC project categories and their associated methodologies or combinations thereof, applicable for the projects analysed in this study.

Category	Definition	Clean development mechanism methodologies
Afforestation and Reforestation	Afforestation and reforestation CO ₂ sink activities	AR-AMS0001; AR-AM0001; AR-AM0002; AR-AM0003; AR-AM0004; AR-AM0005; AR-AM0010; AR-ACM0001
Biomass energy	Heat and or power generation from biomass residues of both renewable and non-renewable biomass	AM0004; AM0015; AM0027; AM0036; ACM0002; ACM0006; ACM0018; AMS-I.A.; AMS-I.C.; AMS-I.D.; AMS-I.E.; AMS-I.F.; AMS-III.D.; AMS-III.H.; AMS-III.Q.
Methane avoidance	Methane avoidance/recovery, including heat and/or power generation, excluding coal mine/bed methane	AM0002; AM0003; AM0006; AM0010; AM0011; AM0013; AM0016; AM0022; AM0025; AM0039; ACM0010; ACM0014; AM0083; ACM0002; AMS-III.Y; ACM0001; AMS-I.A.; AMS-I.C.; AMS-I.D.; AMS-III.I.; AMS-III.D.; AMS-III.E.; AMS-III.F.; AMS-III.G.; AMS-III.H.; AMS-III.K.; AMS-III.O.; AMS-III.R.
Energy efficiency	Energy efficiency in all sectors and industries	AM0014; AM0033; AM0029; AM0038; AM0046; ACM0002; ACM0005; ACM0007; ACM0013; AMS-I.C; AMS-I.D.; AMS-II.A.; AMS-II.B.; AMS-II.C.; AMS-II.D.; AMS-II.E.; AMS-II.G.; AMS-II.H.; AMS-II.J.; AMS-III.B.; AMS-III.J.
Flaring and fuel switch	Gas flaring and feed or fuel switch	AM0009; ACM0003; ACM0009; ACM0011 AMS-III.B.
Industrial gases	Industrial gases in all sectors and industries	AM0001; AM0008; AM0018; AM0021; AM0023; AM0028; AM0030; AM0034; AM0035; AM0041; AM0045; AM0058; AM0059; AM0069; AM0078; AM0079; ACM0004; AMS-III.AD; AMS-III.N.
Mining and others	Mining and others such as transport, construction etc.	AM0014; AM0031; AM0065; ACM0002; ACM0008; AMS-III.C.; AMS-III.T.; AMS-III.U.
Renewable energy	Renewable energy in all sectors and industries	AM0005; AM0026; ACM0002; AMS-I.D.; AMS-I.F.
Waste energy	Heat and/or power from waste energy such as gas, heat and pressure	AM0024; AM0032; AM0037; AM0055; AM0066; ACM0002; ACM0004; ACM0012 AMS-III.P.; AMS-III.Q.

Table VII-9. Definitions of UNEP project types applicable for the projects analyzed in this study.

Project type	Definition
Afforestation and reforestation	According to land use, land-use change and forestry rules
Agriculture	Irrigation, alternative fertilizers and rice crop methane avoidance
Methane avoidance	Biogas from manure, waste water, industrial solid waste and palm oil solid waste, or methane avoidance by composting or aerobic treatment
Biomass energy	New plant using biomass or existing ones changing from fossil fuels to biomass; also biofuels
Cement	Projects where lime in the cement is replaced by other materials, or neutralization with lime is avoided
CO ₂ capture	Recovered CO ₂ from tail gas substituting fossil fuels for production of CO ₂
Coal bed/mine methane	CH ₄ is collected from coal mines or coal beds. This includes ventilation air methane (VAM)
Energy distribution	Reduction in losses in transmission/distribution of electricity/district heat; country interconnection
Energy efficiency (EE) households	Energy efficiency improvements in domestic houses and appliances
EE industry	End-use energy efficiency improvements in industry
EE own generation	Waste heat or waste gas used for electricity production in industry
EE service	Energy efficiency improvements in buildings and appliances in public & private service
EE supply side	More efficient power plants producing electricity and district heat, coal field fire extinguishing
Fossil fuel switch	Switch from one fossil fuel to another fossil fuel (including new natural gas power plants)
Fugitive	Recovery instead of flaring of CH ₄ from oil wells, gas pipeline leaks, charcoal production and fires in coal piles
Geothermal	Geothermal energy
HFCs	HFC-23 destruction
Hydro	New hydro power plants
Landfill gas	Collection of landfill gas, composting of municipal solid waste, or incinerating of the waste instead of landfilling
N ₂ O	Reduction of N ₂ O from production of nitric acid, adipic acid and caprolactam
PFCs and SF ₆	Reduction of emissions of PFCs and SF ₆
Solar	Solar photovoltaic, solar water heating and solar cooking
Tidal	Tidal power
Transport	More efficient transport

Table VII-10. Technology transfer by UNEP project type

Project type	Number of projects	Average project size (CO ₂ eq/year)	Technology transfer claims		Percentage of projects where technology transfer could not be determined
			Number of projects	Annual emission reductions	
Afforestation	5	24,412	40 %	52 %	0 %
Biomass energy	373	64,399	32 %	44 %	32 %
Cement	19	169,134	17 %	16 %	37 %
CO ₂ usage	2	11,844	100 %	100 %	50 %
Coal bed/mine methane	47	463,085	59 %	76 %	13 %
Energy efficiency households	26	63,828	64 %	86 %	58 %
Energy efficiency industry	62	26,343	71 %	75 %	49 %
Energy efficiency own generation	181	165,611	47 %	71 %	27 %
Energy efficiency service	5	11,756	75 %	94 %	20 %
Energy efficiency supply side	27	337,861	71 %	89 %	48 %
Energy distribution	5	454,421	50 %	11 %	20 %
Fossil fuel switch	64	503,507	89 %	99 %	30 %
Fugitive	20	643,325	45 %	70 %	45 %
Geothermal	12	265,165	88 %	97 %	33 %
HFCs	22	3696,307	91 %	97 %	0 %
Hydro	986	97,704	12 %	8 %	17 %
Landfill gas	200	168,764	86 %	88 %	20 %
Methane avoidance	388	38,735	84 %	86 %	19 %
N ₂ O	65	742,516	100 %	100 %	5 %
PFCs and SF ₆	14	352,765	83 %	93 %	45 %
Reforestation	23	43,279	36 %	39 %	36 %
Solar	40	26,360	73 %	66 %	18 %
Tidal	1	315,440	100 %	100 %	0 %
Transport	7	80,470	100 %	100 %	57 %
Wind	682	100,059	34 %	33 %	13 %
Total	3,276	150,472	42 %	64 %	21 %

Table VII-11. Technology transfer by UNFCCC project category

Project category	Number of projects	Average project size (CO ₂ eq/year)	Technology transfer claims		Percentage of projects where technology transfer could not be determined
			Number of projects	Annual emission reductions	
Afforestation and reforestation	28	39,910	37 %	42 %	30 %
Biomass Energy	251	62,288	35 %	36 %	29 %
Methane Avoidance	608	85,921	84 %	87 %	19 %
Energy Efficiency	156	283,315	73 %	92 %	42 %
Flaring and Switch	47	272,528	55 %	54 %	57 %
Industrial Gases	128	1105,125	92 %	97 %	15 %
Mining and Others	61	378,313	66 %	77 %	18 %
Renewable Energy	1,814	94,998	22 %	20 %	17 %
Waste Energy	183	164,433	46 %	70 %	26 %
Total	3,276	150,472	42 %	64 %	21 %

Table VII-12. Investment in clean development mechanism projects by host country (USD million)

Country	Number of projects		Total investment		Average investment	
	Registered	Issuance	Registered	Issuance	Registered	Issuance
Albania	1		3		3	
Argentina	23	12	311	174	14	14
Armenia	5	2	25	13	5	6
Bangladesh	2	1	10	5	5	5
Bhutan	2	1	184		92	
Bolivia	4	1	381	74	95	74
Brazil	195	143	3,080	2,257	16	16
Cambodia	5	1	22	4	4	4
Cameroon	2		8		4	
Chile	50	29	1,327	691	27	24
China	1,468	830	96,311	63,156	66	76
Colombia	31	13	253	147	8	11
Congo	2		5		2	
Costa Rica	7	6	144	48	21	8
Côte d'Ivoire	3		21		7	
Cuba	2	2	312	312	156	156
Cyprus	6	3	73	3	12	1
Dominican Republic	2	1	91	4	45	4
Ecuador	16	11	305	152	19	14
Egypt	10	5	488	179	49	36
El Salvador	6	5	292	129	49	26
Ethiopia	1		4		4	
Fiji	2	1	15	13	7	13
Georgia	2	1	38	33	19	33
Guatemala	11	9	356	186	32	21
Guyana	1		32		32	
Honduras	19	15	131	109	7	7
India	694	419	21,144	7,531	30	18
Indonesia	70	30	1,512	856	22	29
Iran	5		43		9	
Israel	22	13	1,415	61	64	5
Jamaica	1	1	37	37	37	37
Jordan	2	1	24	22	12	22
Kenya	5		759		152	
Republic of Korea	61	30	1,991	859	33	29
Laos People's Democratic Republic	1	1	1	1	1	1
Liberia	1		1		1	
Macedonia	1		22		22	
Madagascar	1	1	6	6	6	6
Malaysia	93	36	544	359	6	10
Mali	1		99		99	
Mexico	129	71	2,575	998	20	14
Mongolia	3	2	66	65	22	33
Morocco	5	3	249	239	50	80
Nepal	4	2	27	6	7	3
Nicaragua	5	4	216	215	43	54

Table VII-12. Investment in clean development mechanism projects by host country (USD million) (continued)

Country	Number of projects		Total investment		Average investment	
	Registered	Issuance	Registered	Issuance	Registered	Issuance
Nigeria	5	3	498	451	100	150
Pakistan	12	4	370	167	31	42
Panama	7	4	276	51	39	13
Papua New Guinea	1	1	108	108	108	108
Paraguay	2		2		1	
Peru	25	15	1,328	363	53	24
Philippines	54	18	715	199	13	11
Qatar	1	1	260	260	260	260
Republic of Moldova	4	2	54	28	14	14
Rwanda	2		2		1	
Senegal	1		9		9	
Singapore	2	2	24	24	12	12
South Africa	20	14	127	91	6	6
Sri Lanka	7	7	79	79	11	11
Syria	3		9		3	
Tanzania	1	1	12	12	12	12
Thailand	53	31	461	336	9	11
Tunisia	3	2	30	29	10	14
Uganda	5	1	48	19	10	19
United Arab Emirates	4	2	425	108	106	54
Uruguay	6	2	40	11	7	6
Uzbekistan	11	6	339	12	31	2
Viet Nam	64	10	1,559	229	24	23
Zambia	1	1	6	6	6	6
Total	3,276	1,833	141,734	81,529	43	44



ACKNOWLEDGEMENTS

Grant Kirkman, Stephen Seres, Erik Haites, Robin Rix, Niclas Svenningsen, Paulo Castro, Luz Fernandez, Charlotte Unger, Wolfgang Sterk, Christof Arens, Stephan Bakker, Karen Holm Olsen, Nick Johnstone, Ivan Haščič, Jørgen Fenhann and those project participants who took the time to respond to the survey.

© 2011 United Nations Framework Convention on Climate Change

All rights reserved

This publication is issued for public information purposes and is not an official text of the Convention in any legal or technical sense. Unless otherwise noted in captions or graphics all matter may be freely reproduced in part or in full, provided the source is acknowledged.

For further information contact

United Nations Climate Change Secretariat
Martin-Luther-King-Strasse 8
53175 Bonn, Germany

Telephone +49. 228. 815 10 00

Telefax +49. 228. 815 19 99

cdm-info@unfccc.int

unfccc.int

cdm.unfccc.int

cdmbazaar.int

ISBN 92-9219-086-5

Photos:

Page 4 **Avijit Bhakta 'Solar panels in India'**

(CDM Project 0087 20: MW Kabini Hydro Electric Power Project, SKPCL, India)

Page 8 **Meng Zhenbiao 'Reforestation planning'**

(CDM Project 3561: Reforestation on Degraded Lands in Northwest Guangxi, China)

Page 22 **Chris Zink 'Solar water heaters in South Africa'**

(CDM Project 4302: SASSA Low Pressure Solar Water Heater Programme, South Africa)

Page 28 **Fuping Wang 'Power plant by night'**

(CDM Project 1898: Fujian Jinjiang LNG Power Generation Project, China)

Page 36 **Abeer Ibrahim 'Vehicle scrapping and recycling'**

(CDM Project 2897: Egypt Vehicle Scrapping and Recycling Program, Egypt)

Page 38 **Xiaodi Cai 'A peasant transports stalks to the project site'**

(CDM Project 3965: Anhui Suzhou 2x12.5MW Biomass Power Generation Project, China)

Page 46 **Evan Thomas 'Safe drinking water in Rwanda'**

(CDM Project 4799: Rwanda Natural Energy Project, Water Treatment Systems)

Art direction and design: Heller & C GmbH, Cologne

